

IN THE CLAIMS:

1. (Currently Amended) A bubble generating assembly, comprising:  
a housing;  
a dipping chamber associated with the housing;  
a source of bubble solution; and  
a tube coupling the source of bubble solution with the dipping chamber, the tube having one end positioned inside the dipping chamber;  
wherein the housing houses a motor.
2. (Original) The assembly of claim 1, further including means for retaining the end of the tube in a fixed position inside the dipping chamber.
3. (Original) The assembly of claim 1, wherein the source of bubble solution is a bottle.
4. (Original) The assembly of claim 3, further including means for coupling the bottle to the dipping chamber.
5. (Currently Amended) [[The assembly of claim 3,]] A bubble generating assembly, comprising:  
a housing;  
a dipping chamber associated with the housing;  
a bottle of bubble solution; and  
a tube coupling the source of bubble solution with the dipping chamber, the tube having one end positioned inside the dipping chamber;  
further including a feedback channel that fluidly couples the dipping chamber and the interior of the bottle.
6. (Original) The assembly of claim 5, further including means for releasably blocking the feedback channel.

7. (Currently Amended) ~~[[The assembly of claim 3,]]~~ A bubble generating assembly, comprising:

a housing;

a dipping chamber associated with the housing;

a bottle of bubble solution; and

a tube coupling the source of bubble solution with the dipping chamber, the tube having one end positioned inside the dipping chamber;

further including means for venting the interior of the bottle.

8. (Original) The assembly of claim 3, wherein the dipping chamber is defined by a bottom plate and an enclosing wall, with an opening provided in the bottom plate.

9. (Original) The assembly of claim 8, further including a connector provided adjacent the bottom plate for releasably connecting the bottle to the dipping chamber.

10. (Canceled).

11. (Currently Amended) ~~[[The assembly of claim 1,]]~~ A bubble generating assembly, comprising:

a housing;

a dipping chamber associated with the housing;

a source of bubble solution; and

a tube coupling the source of bubble solution with the dipping chamber, the tube having one end positioned inside the dipping chamber;

wherein the housing houses a gear system.

12. (Currently Amended) ~~[[The assembly of claim 1,]]~~ A bubble generating assembly, comprising:

a housing;

a dipping chamber associated with the housing;

a source of bubble solution; and

a tube coupling the source of bubble solution with the dipping chamber, the tube having one end positioned inside the dipping chamber;

wherein the housing houses a power source.

13. (Original) The assembly of claim 3, further including a bubble producing device positioned directly above the bottle.

14. (Original) The assembly of claim 3, further including an air generator positioned directly above the bottle.

15. (Original) The assembly of claim 14, wherein the air generator is positioned inside the housing, and the housing further includes at least one opening and aligned with the air generator.

16. (Currently Amended) [[The assembly of claim 1,]] A bubble generating assembly, comprising:

a housing;

a dipping chamber associated with the housing;

a source of bubble solution; and

a tube coupling the source of bubble solution with the dipping chamber, the tube having one end positioned inside the dipping chamber;

further including a plurality of bubble producing devices operatively coupled to the housing for simultaneously producing a plurality of separate bubbles.

17. (Original) The assembly of claim 3, wherein the housing is positioned directly above the bottle.

18. (Currently Amended) [[The assembly of claim 3,]] A bubble generating assembly, comprising:

a housing;

a dipping chamber associated with the housing;

a bottle of bubble solution; and

a tube coupling the source of bubble solution with the dipping chamber, the tube having one end positioned inside the dipping chamber;

wherein a majority of the housing is positioned side-by-side with the bottle.

19. (Currently Amended) [[The assembly of claim 1,]] A bubble generating assembly, comprising:

a housing;

a dipping chamber associated with the housing;

a source of bubble solution; and

a tube coupling the source of bubble solution with the dipping chamber, the tube having one end positioned inside the dipping chamber;

further including a blocking ceiling positioned in the dipping chamber over the end of the tube so as to deflect bubble solution ejected from the end of the tube into the dipping chamber.

20. (Original) The assembly of claim 3, wherein pressure is applied to the bottle to deliver bubble solution into the dipping chamber.